



Southern Tier Orchid Society

Executive Board

President

Jnx Xancada
607-372-2719
ouaquagaonchenango@gmail.com

Vice President

Carol Bayles
607-275-9090
cjb4@cornell.edu

Treasurer

Jane Trey
607-724-5358
jtrey@stny.rr.com

Secretary

Carol Brunnabend
607-785-7360
cbrunnabend@stny.rr.com

AOS Representative

Pete O'Connell
607-423-1202
petermoconnell@yahoo.com

Members-at-large

Anne (Tinker) Quain
607-797-1383
anneetinker@yahoo.com

Sharon Voorhees
607-739-7898
sassvoor@gmail.com

Luis Matienzo
607-754-5702
lmastienzo@stny.rr.com

Newsletter & Membership

Linda Mandeville
607-227-1563
lrmandeville@stny.rr.com

Show Chair

Anne Quain

Web Page

<http://www.storchidsociety.com/>

November 2017

NEXT MEETINGS:

November 19, 2:00 First United Methodist Church of Endicott

December 17, 2:00 First United Methodist Church of Endicott – Holiday Party

IN THIS ISSUE

- Don't miss our November meeting! Isabel Lopatin will be our speaker this month!!

Meeting NOTES

November meeting will be held upstairs at the church.

Meeting location:

[First United Methodist Church](#)
53 McKinley Ave.
Endicott, NY 13760

EDITOR'S NOTE

Contributions, including pictures, to the STOS newsletter from members are welcomed. Contributions must be submitted by the 5th day of each month to the editor.

If you have difficulties with the electronic format of this newsletter, please contact the webmaster at: southerntierorchidsociety@gmail.com

pronounced temperature fluctuation can lead to water condensation inside the sheath, hastening the normal process of senescence, so yellowing sheaths can be left on the plant only so long before they must be carefully removed to preserve the bud primordia within. Water condensation left unchecked can rot the bud primordia. The sheaths can be safely removed by slitting open and peeling down toward the pseudobulb.

Cool-Growing Orchids

One can almost hear a sigh of relief from all of the cool-growers, from masdevallias to odontoglossums. As day temperatures decline, one can see a noticeable improvement in these plants. Shorter days and lower light levels do not seem to bother them. Repot before winter arrives.



Cymbidium ensifolium produces delicate flowers with a delightful citrus fragrance.

Cymbidium

Finally we begin in earnest the main cymbidium season. *Cymbidium ensifolium* can give some early and fragrant hybrids, but it is now that the bulk of the crop will be flowering. The season lasts for about seven months, adding color to any collection. Miniature varieties will peak for the next three to four months. There are three important things to do: stake inflorescences ramrod straight for best presentation, watch for slugs and snails (especially just after a rain), and fertilize with a mild balanced formula regularly.

Oncidium crispum Complex

This is the season for plants in *Oncidium* section *crispum* from Brazil to shine. Extremely vigorous hybrids come in wide varieties of markings dominated with chestnut and brown and butter yellow. Give plants high light to produce strong upright inflorescences. The pseudobulbs should be plump, so do not let the plants dry out while they are in bloom. Later, plants will enter a dormant period.

Paphiopedilum

The flowering season for the "toads" or "bulldog" paphs is just getting underway. These cannot be grown everywhere, but where cooler summer nights allow their growth, there is no longer-lasting or more exotic display than these. *Paphiopedilums* are, in general, not heavy feeders, and it is especially important with this type to reduce nitrogen levels now for best flowering and spike length. Be watchful for water accumulating in the growth around the sheath, or for the late-season warm spell, either of which can lead to the sheath's rotting. As the spikes emerge, do not change the orientation of the plant toward the light, as this can lead to a crooked or twisted spike

While *paphiopedilums* rarely like to dry out entirely, water needs are significantly reduced beginning now. Overwatering at this time of year can quickly lead to root rot or erwinia problems. Now is the time to practice good sanitary practices in your greenhouse or growing areas, as pest and disease problems have a way of multiplying rapidly in the darker and more crowded conditions that generally mark the winter growing area. With *paphiopedilums*, especially, "cleanliness is next to godliness" and if the growing area is littered with old foliage, weeds and dying flowers, keeping the plants alive and flowering will be next to impossible.

Phalaenopsis

Shortening days and cooler nights are the signals for inflorescence initiation in *phalaenopsis*. In more northern climates, or on the west coast, growers have already begun to see the early inflorescences that may be ready for Christmas. In the eastern areas, nights in the greenhouse will now be in the low to mid 60s, depending on the thermostat setting, so the first of our *phalaenopsis* will not begin to bloom until Valentine's Day at the earliest.

A reduction in nitrogen levels will go a long way to giving the best possible spiking, as will a boost in potassium and phosphorus. In other words, a "bloom booster"-type fertilizer is definitely indicated in the next few months. Disease and pest problems are best dealt with now, especially as mealybugs hide in the bracts and flower buds. Once they have established themselves, they are difficult to eradicate, and flower damage or crippling results. Potential disease problems can be dealt with by the application of a copper-based compound to control/alleviate rot problems before they start. There is nothing more frustrating than to have shepherded your plants through a growing season, only to have them decline before your eyes.



Neofinetia falcata will thrive in cooler temperatures and produce graceful vanilla-scented flowers.

Vandaceous Genera

Whereas the general decline in temperatures is beneficial to cool-growing orchids, it is not for vandaceous plants. The only cold-hardy member is *Neofinetia falcata*. Orient your plants in such a way as to take advantage of as much light as possible. This can be a problem in northern latitudes. Reduce watering and feeding schedules.

Copyright American Orchid Society -- www.aos.org. The AOS thanks Ned Nash and James Rose for this essay

~ * ~ * ~ * ~ * ~ * ~ * ~ * ~ * ~ * ~ * ~ * ~ * ~ * ~ * ~ * ~ * ~ * ~ * ~ * ~ * ~ * ~ * ~ * ~ * ~ *

Upcoming Meetings

November 19 ~ Isabel Lopatin
December 17 ~ Annual Holiday Party

January 21 ~ To be announced
February 18 ~ To be announced

Please remember that these are tentative and subject to last minute change.

~ * ~ * ~ * ~ * ~ * ~ * ~ * ~ * ~ * ~ * ~ * ~ * ~ * ~ * ~ * ~ * ~ * ~ * ~ * ~ * ~ * ~ * ~ * ~ * ~ *